

## GLAZOLIN - STONE VARNISH

**PRODUCT DESCRIPTION** Synthetic resin-based, silicon modified, transparent and glossy natural stone varnish resistant to weak acid and basic solutions.

- PRODUCT FEATURES**
- Transparent
  - Creates a glossy film
  - Provides waterproofing
  - Excellent spread
  - High UV resistance
  - Resistant to yellowing
  - Resistant to physical effects and impacts and Water repellent

**AREA OF USE** It can be applied on all kinds of plaster, wood, concrete, eternit, chipboard, aerated concrete, brick, prefabricated building elements and similar surfaces. It is used for protective purposes on water-based painted surfaces.

**RECOMENDED APPLICATION**

**Surface Preparation:**  
Surfaces must be cleaned from dirt, rust grease, oil and blistered paints, and care should be taken to ensure that the surfaces are dry.

**Application:**  
Glazolin stone varnish is ready-to-use. It should be applied wet-on-wet in two coats. If desired, it can be thinned with 5% synthetic thinner.

**TECHNICAL INFORMATION**

TECHNICAL SPECIFICATIONS	
Resin type	Thermoplastic resin
Color	Transparent
Gloss	Glossy
Glossy	85 - 90 Gloss
Viscosity (25°C)	105 ± 5 KU
Density (20°C)	1,20 ± 0,05 g/cm
Solid matter	70 ± 2 g/cm
Flas Point	36°C

DRYING TIMES	
Touch Dry	4 - 5 hours
Recoating tme	12 hours
Dust Dry	7 - 8 hours
Hard dry	72 hours

**PAINTED AREA CONSUMPTION**

Wet film thickness (microns): 150-160  
 Dry film thickness (microns) : 120-130  
 Consumption (m2/L) : 6-7  
 Consumption (m2/Kg) : 4-5

**STORAGE AND PACKAGING INFORMATION**

Packaging Information:0.75 Liter, 2.5 Liter, 12 Kg  
 Storage Conditions: It can be stored for 3 years in its unopened package in a cool and dry environment at a temperature of 5 to 35°C, protecting from frost and direct sunlight.

**HEALTH AND SAFETY INFORMATION**

Pay attention to the health and safety statements on the product packaging. The rules specified in the product safety data sheet must be observed. Contact your nearest health care provider in case of unexpected health problems.